To: Griffeth, Thomas[TGriffeth@mt.gov]

From: Kusnierz, Lisa

Sent: Thur 3/26/2015 3:43:07 PM

Subject: FW: Nutrient Optimization language

Final Optimization Study Boilerplate Tina edits.docx

Hey,

Since Paul is out for a while I'm forwarding this to you.

From: Laidlaw, Tina

Sent: Wednesday, March 25, 2015 5:15 PM

To: Skubinna, Paul Cc: Kusnierz, Lisa

Subject: RE: Nutrient Optimization language

Hey Paul,

Thanks for the opportunity to review this information. Attached are my comments. I realize that you were trying to distinguish between the requirements versus what DEQ is encouraging facilities to do. However, since they both relate to how a facility should approach an optimization study, and what should be considered, I thought it made sense to keep them connected. And, the alternatives analysis component is really important, even if it's not a requirement. Also, as currently written, the focus seems to be on trading which is only one of the things that should be considered.

Hope these comments help. We can discuss them tomorrow if you have any questions.

Tina

From: Skubinna, Paul [mailto:PSkubinna@mt.gov]

Sent: Friday, March 20, 2015 2:36 PM **To:** Laidlaw, Tina; Kusnierz, Lisa

Subject: FW: Nutrient Optimization language

FYI – let me know if you have major concerns.
Paul Skubinna
Water Protection Bureau
MT Dept of Environmental Quality
406.444.3639
From: Skubinna, Paul Sent: Friday, March 20, 2015 2:38 PM To: LaVigne, Paul; Suplee, Mike; McDunn, John; Romankiewicz, Christopher; Boettcher, Peter Cc: Griffeth, Thomas; Kenning, Jon; Moser, Kurt Subject: Nutrient Optimization language
Howdy All, thanks for the input on developing nutrient optimization study language. Attached is what we came up with as our final version to go in the fact sheet and permit. Know that we considered everyone's comments and input closely, but there, at times, only subtle differences between an enforceable permit condition and a useful and informative well writer document. Please let me know if you have any questions.
Thanks again for the input and participation.
PS
Paul Skubinna

Water Protection Bureau

MT Dept of Environmental Quality

406.444.3639